# Worcestershire Health and Wellbeing Board

# Drug and Alcohol Joint Strategic Needs Assessment (JSNA)

January 2020

www.worcestershire.gov.uk/jsna

| | |
|---|---|
| Project/Commissioning Manager: | Rosie Winyard |
| Project Sponsor: | Liz Altay |
| Working Group: | Andrew Boote, Debbie Tillsley, Nia Reeves, Rachel Cullum |
| Date: | January 2020 |
| Version: | 1.0 |
| Review Date: | January 2023 |

# Contents

Worcestershire Health and Wellbeing Board ..... 1
Drug and Alcohol Joint Strategic Needs Assessment (JSNA) ..... 1
Executive Summary ..... 4
Aims and Objectives ..... 5
Introduction and Background ..... 5
Policy and Financial Context ..... 6
Statutory Duties ..... 6
What are the relevant local and national strategies and policies informing the evidence base? ..... 6
Evidence on What Works ..... 9
Prevention/Early Intervention/Treatment ..... 9
Return on Investment ..... 15
Population Trends and Needs ..... 16
Adult Treatment ..... 16
Number of People with Unmet Need ..... 22
Treatment Outcomes ..... 23
Treatment Outcomes: Alcohol ..... 23
Treatment Outcomes: Drugs ..... 23
Substance Misuse Treatment and Outcomes for Young People (Under 18s) ..... 25
Outcomes for the wider population affected by drugs and alcohol ..... 27
Mortality ..... 29
Wider Determinants ..... 33
1. Social Inequalities ..... 33
2. Education ..... 33
3. Housing and Homelessness ..... 34
4. Employment ..... 35
5. Crime ..... 35
At Risk Groups ..... 37
Young People and Families ..... 37
Mental Health ..... 38
The Drug and Alcohol Treatment Service in Context April 2015-March 2020 ..... 40
Substance Misuse Related Services in Worcestershire ..... 42
Prevention and Early Intervention ..... 42

# Policy and Financial Context

## Statutory Duties

The local authority has a duty to ensure the availability of prevention and treatment for people with drug and alcohol dependence to ensure it meets requirements included in legislation: Health and Social Care Act 2012, Care Act 2014 and Section 17 of the Crime and Disorder Act 1998 as amended. Reducing harm from alcohol at all ages is one of 3 priorities in the strategic plan for the Health and Wellbeing Board 2016-21. West Mercia Police and Crime Commissioner (PCC) will continue to work in partnership with the Council in Worcestershire to commission drug and alcohol treatment services.

In addition, there is a requirement to use the Public Health Ring Fenced Grant (PHRFG) to provide a service to improve uptake and outcomes for adults, children and families affected by drug and alcohol dependence. Commissioning this provision in partnership is key to success, acknowledging that drugs and alcohol misuse adversely impacts individuals, safe communities, health and social care outcomes.

## What are the relevant local and national strategies and policies informing the evidence base?

The following section indicates a summary of national and local guidance informing the evidence that underpins the development of the new service.

### National Guidance

There is a raft of strategy documents and guidance to inform the development of Drug and Alcohol treatment services. Key documents include:

**Drug Strategy Public Health England 2017:**
https://www.gov.uk/government/publications/drug-strategy-2017

The four key themes are reducing demand, restricting supply, building recovery and global action. This strategy focusses on the need to deliver coordinated interventions to help people maintain their recovery from drugs and alcohol, ensuring that there are close links to physical and mental health care, housing and employment. The guidance recommends close co-operation between drug and alcohol services and the police in addressing the increasing harm posed by Novel Psychoactive Substances and County Lines drug dealing. It details evidence

# Evidence on What Works

## Prevention/Early Intervention/Treatment

### Children Young People and Families

Evidence to reduce drug and alcohol related harm point to the importance of prevention, early intervention and a whole systems approach to tackle the problem. This includes training professionals in mainstream and voluntary sector services to be able to assess drug/alcohol related harm, offer advice and brief interventions whenever they come into contact with an adult or child they think may be at risk.

Drug misuse overlaps with other vulnerabilities which can exacerbate risks of abuse and exploitation. In 2015-6, 17% of young people accessing specialist substance misuse services were not in education or training and 12% were Young People Looked After. Many young people who have developed substance misuse problems may be reluctant to disclose them or be aware that this may be a response to other underlying stress or health issue which requires treatment.

**The Family Safeguarding Model** https://www.gov.uk/government/publications/family-safeguarding-hertfordshire-an-evaluation approach is nationally recognised following successful implementation and positive evaluation in Hertfordshire (Family Safeguarding Hertfordshire (FSH)). The model is designed to transform approaches to working with children and their families.

The model includes co-locating professionals from substance misuse, mental health and domestic abuse services to be , immediate support for social work staff supporting joined up case management approaches.

Evidence from the FSH evaluation indicates that by enabling many more parents to seek help to

exposure to harmful parental behaviours can be drastically reduced.

### Education and Prevention in Schools to Reduce Drug, Alcohol and Tobacco Use

Although the prevalence of drug and alcohol use appears to be decreasing in children and young people, they remain an important concern as the biggest impact is on those with the most vulnerabilities. About 80% of lifetime alcohol or cannabis use is initiated by young people under the age of 20 years, with the proportions initiating other illicit drugs in adolescence closer to 50%.

Once initiated, there is a strong likelihood use will continue into adult life, highlighting the importance of intervening early. Drug and alcohol interventions need be responsive and appropriate to the risks of drug use, vulnerability and delivered in an age appropriate way. Young people with substance misuse problems have a range of vulnerabilities which need to be addressed by collaborative work across local health, social care, family work, housing, youth justice, education and employment services.

Evidence indicates that intervening early works and is cost saving. The evidence for prevention of alcohol related harm suggests that improving awareness among young people can delay age of first usage.

The Alcohol and Drug Education and Prevention Information Service (ADEPIS) was established in 2013 by the charity Mentor UK to share information and resources with schools and

practitioners working in drug and alcohol prevention. ADEPIS is publicly acknowledged as the leading source of evidence-based information and tools for alcohol and drug education and prevention for schools and is funded by Public Health England and the Home Office. It was

alcohol and drug education.

The resources produced by ADEPIS draw on more than 20 years of work in the prevention field, including eight years of work with the Drug Education Forum, which supported local authorities and schools to implement best practice in drug education.

Home Office research referenced in ADEPIS identifies key factors associated with increased drug

https://www.gov.uk/government/publications/prescribed-medicines-review-report/prescribed-medicines-review-summary

# Return on Investment

A social return on investment tool was developed and released by Public Health England in 2016 to quantify some of the

# Population Trends and Needs

Worcestershire is a two-tier authority, including County and six Districts where both tiers come together with partners and the wider economy to support children, young people and families.

It is an affluent rural county characterized by persistent inequalities. The population of Worcestershire is estimated to be 588,370. Of the six Worcestershire districts, Wychavon has the largest proportion of the population (21.3%) and Malvern Hills the smallest (13.5%). Worcester (18.4%) and Redditch (20%) districts have the greatest proportion of young people



top pr witys thereto7(you)3(ng)14(7(c(si)5(sde)0 G( )-4(g0 G[( )] TJETQq0.000008866 0 594.96 841.92 reW*nBT/F1 11.04

Drug and Alcohol Needs Assessment

Drug and Alcohol Needs Assessment

**Table 1: Percentage of alcohol users by age group in Worcestershire, 2014-2019**[13]

| Age Group | 2014/15 (%) | 2015/16 (%) | 2016/17 (%) | 2017/18 (%) | 2018/19 (%) |
|---|---|---|---|---|---|
| **18-29** | 14 | 12 | 9 | 8 | 9 |
| **30-** | | | | | |

Drug and Alcohol Needs Assessment

# Treatment Outcomes

## Treatment Outcomes: Alcohol

### Time in treatment

In Worcestershire, in 2018/19, 94% of service users in alcohol-only treatment were in treatment for less than one year. 5% were in treatment for 1 to 2 years. This represents less time spent in treatment than for England as a whole, where 88% of clients were in treatment less than one year, 9% were in treatment 1-2 years, and 3% were in treatment 2-4 years[12]

### Treatment exits

In Worcestershire, in 2018/19, 69.4% of service users left treatment due to successful completion.

# Substance Misuse Treatment and Outcomes for Young People (Under 18s)

### Numbers in treatment

In 2017-18 there were 129 young people under 18 in specialist substance misuse services in Worcestershire[16]. 68% of these were in services in the community, 28% in young people specialist services in the community (aged 18-24) and 2% were in services within the secure estate.

### Source of referral

The highest percentages of referrals for younger people into drug and alcohol treatment services are via health and mental health services (30%); this is almost three times higher than the national percentage (9%).[16] Worcestershire has a lower percentage of referrals from education services (23%) in comparison to the national percentage (31%), children's and family services (12%) compared to the national percentage (16% nationally) and a lower percentage of referrals from self, family and friends (8%) compared to nationally (11%).

### Which substances are being misused?

Worcestershire has a higher percentage of young people who are in treatment for cannabis than other drugs, this is similar to England. In Worcestershire, there are a lower percentage of young people in treatment for alcohol dependence.

**Figure 3: Percentage of Under 18s reporting problematic substance misuse by substance (2018-19**




[16] Public Health England (2018) (5) Young people substance misuse commissioning support pack 2019-20: key data

## Characteristics of those in treatment

When compared to England the proportion of young people under 18 years in treatment with

# Outcomes for the wider population affected by drugs and alcohol

The following section explores the impact of drugs and alcohol on the health of the population in Worcestershire by referring to admission data from acute services and reviewing trends in mortality data associated with drugs and alcohol.

There have been significant improvements in outcomes achieved by the current service provider since the service was commissioned in 2015 compared with local and national comparators, as reported to the Health and Wellbeing Board in 2018. There has been an increase in numbers of adults and young people entering and completing treatment for drug and alcohol dependence and becoming abstinent. Time in treatment is reducing, associated with more effective links to wrap around services including employment, housing and volunteer recovery champions. There is positive engagement with primary care and mental health services which also enables service users to receive treatment for associated physical and mental health problems, in addition to drug and alcohol dependence thus improving health outcomes.

There has been a reduction in alcohol-specific mortality overall in Worcestershire compared to England, but this varies across the County. There is an increase in alcohol-related liver disease significantly above the England average and alcohol-related hospital admissions are increasing in certain parts of the County.

There are close associations betwed[a ( )]TJEh841.92 reWeW*nBT.004 (e )-352.998 ( )-3.tM6b4.004 (s )-3ea

## Alcohol-Related Hospital Admissions

Admissions for alcohol-related conditions (narrow) can be interpreted as any admission where the primary diagnosis is an alcohol-related condition, or a secondary diagnosis is an alcohol-related external cause. As shown in Figure 4, the rate of admission episodes for alcohol related conditions (narrow) in Worcestershire is similar to the national rate. However, there is considerable variation across the districts; rates are highest (and significantly higher than the England rate) in Redditch and Wyre Forest. The rate has been consistently high in Redditch and continues to rise.[17]

**Figure 4: Admission episodes for alcohol-related conditions (narrow) by district/year (2013 - 2018)**

Source: Public Health England, Local Alcohol Profiles for England - admission episodes for alcohol-related conditions (Narrow)

Admissions for alcohol-related conditions (broad) can be interpreted as admi

The increasing hospital admission rates in Redditch requires further investigation in order to fully understand causation.

## Alcohol Specific Hospital Admissions

An admission for an alcohol specific condition indicates admission to hospital where the primary or secondary diagnosis is a condition wholly attributable to alcohol. Admission episodes for alcohol specific conditions in Worcestershire are 391 per 100,000 population compared to the England rate of 570 per 100,000 population. Rates in Worcestershire have been below the England average since 2008/09 and the gap between the rate in England and the rate in Worcestershire has been widening.[17]




Source: Public Health England Local Alcohol Profiles for England (Worcestershire) Alcohol specific mortality. https://fingertips.phe.org.uk/profile/local-alcohol-profiles/data#page/3/gid/1938132984/pat/102/par/E10000034/ati/101/are/E07000237/iid/91380/age/1/sex/4

The rate varies across the districts, with higher rates than England in Worcester, Redditch and Wyre Forest. The rate for Worcestershire as a whole has remained similar to the England rate since 2006-08 the current rate is 10.9 per 100,000 population, compared to 10.8 for England.

## Alcohol Related Mortality

Alcohol-related mortality indicates deaths from diseases where there is evidence that alcohol plays a contributory part. These include where alcohol is a direct cause (such as alcoholic liver disease) but also deaths from diseases where alcohol is causally linked to the condition such as cancers of the mouth, oesophagus and liver.

Figure 6 shows that the rate of alcohol related mortality in Worcestershire (48.4) is similar to the England (46.5) Again, there is considerable variation both across districts and over time. Rates are highest in Redditch and Wyre Forest. Alcohol-related mortality rates for Worcestershire have remained similar to the England rate since 2008.

**Figure 6 : Alcohol Related Mortality Rate (Persons) by District, Worcestershire and England average (2016-18)**

**Figure: Drug misuse mortality rate (standardised rate per 100,000 population)**



# Wider Determinants

This section considers the impact of wider determinants on health which can have a significant impact on individuals and families affected by drug and alcohol misuse. These include social inequalities, education, housing and homelessness, employment and crime. These factors are considered below:

## 1. Social Inequalities

Variation in the experience of wider determinants of health (social inequalities) is considered the fundamental cause of health inequalities. Unemployment and homelessness are contributary factors.

A complex relationship exists between socio-economic status and alcohol consumption and is commonly termed the alcohol harm paradox. Various studies have shown that although there is little difference in alcohol consumption between affluent and deprived communities, alcohol related ill-health is significantly more common in the latter. Bellis *et al* (2016) hypothesized that this variation in ill-health could be related to a range of other contributing factors including smoking and poor diet.

There is a socioeconomic element to patterns of drug misuse and a relationship with levels of deprivation. Drug use and misuse tends to be clustered; areas of relatively high social deprivation have a higher prevalence of illicit opiate and crack cocaine use including more people in treatment for class A drug dependence e.g. Liverpool and North West region. However, it is important to note that this association can depend on the types of drugs that are studied, community and family resilience. The availability of community support, adequate income, employment and housing are identified as protective factors. Further information on Health Inequalities in Worcestershire is available in the following JSNA Briefing on health inequalities.

## 2. Education

Statutory safeguarding guidance for schools and colleges is described in Keeping Children Safe in Education which recommends work in schools and community settings to improve life skills and resilience. Evidence suggests this type of approach can have lasting impact on children and young people, supporting the development and sustainment of positive habits and behaviours.

Many young people receiving specialist interventions for drug and alcohol problems have a range of vulnerabilities. Examples of the types of risks young people report at the start of treatment include: not in education, employment or training (NEET), in contact with the youth justice system, experience of domestic abuse and sexual exploitation.

We know that outside of mainstream education, i.e. in Pupil Referral Units and Alternative Education Provision. There is a current gap in the system. This is as a result of Children and Young People being permanently excluded from schools or their mental health/anxiety/autism (mostly) meaning that mainstream education is no longer suitable for them.

Alcohol and drug use can be associated with early sexual initiation and other risky sexual behaviours. Universal and targeted services have a role to play in building resilience and providing advice and support to prevent harm to students through drug and alcohol use at the earliest opportunity. It is important to ensure clear referral routes to specialist services for young people whose use has escalated and/or is causing them harm.

# 3. Housing and Homelessness

Homelessness is an important factor to consider when assessing the wider harmful impact of drug and alcohol upon society. Access to health services is an issue nationally and locally with significant numbers of homeless people facing barriers to access and/or insufficient treatment for drug and alcohol problems, physical and mental health. Housing and support to maintain a tenancy can play a key role in helping people to tackle their substance misuse. Domestic abuse and breakdown in family relationships are also associated with poor outcomes from recovery for drug and alcohol problems and there is a strong association between drugs and alcohol and family violence.

Homeless people are at increased risk of a wide range of health problems related to physical health, mental health and substance misuse (usage of illegal and prescribed drugs, and of tobacco and alcohol). Physical health problems

Drug and Alcohol Needs Assessment

the Worcestershire average at 10

# At Risk Groups

## Young People and Families

enhance parenting capacity.  Drug and alcohol treatment services in partnership with other agencies must carry out a

# Substance Misuse Related Services in Worcestershire

It is important to acknowledge some specific organisations in the wider system which contribute to prevention and early intervention. They are in a unique position to influence the prevention agenda through their contact with children, parents and families providing low threshold information and advice about drugs and alcohol, supporting the management of risk and referring appropriately to the treatment provider.

## Prevention and Early Intervention

### 0-19 Starting Well Service

Worcestershire County Council has commissioned Starting Well, an approach to prevention and early intervention for children, young people and their families. This contract has recently been re-tendered and from April 2020 a new integrated service will be delivered by Worcestershire Health and Care NHS Trust as lead provider in partnership with other voluntary sector services. The service is funded by the Public Health Ring Fenced Grant and delivered by the Worcestershire Health and Care NHS Trust working in close partnership with organisations from the voluntary sector to deliver a range of support, interventions and develop community capacity.

Public health nurses will lead an integrated system approach linking with every child and their family from before birth until they are 19 or older if they have special needs. The all-age service will be delivered by Starting Well teams aligned to the six Districts in Worcestershire, led by Public Health nurses and focusing on Starting Well Family hubs. This service includes:

- Direct links to ante-natal services and the Local Maternity System Plan
- The delivery of the full Healthy Child Programme including universal health and development reviews, intensive home visiting, infant feeding support, additional or targeted support, additional support working within multi-agency teams, safeguarding activity. These are a statutory duty of the County Council, under the leadership of the Director of Public Health.
- Delivery of evidence-based parenting support programmes and other targeted provision for those identified by the universal service.
- Interventions and support including ante-natal support for parents, children and young people of nursery and school age
- A scaling up of building community capacity including developing and sustaining community activities, role of community connectors, information and advice, community parenting and peer support roles in schools for young people and parents.
- Digital offer including an integrated well-being website launch in 2020 and a social media strategy

Worcestershire Children First (WCF)

Cabinet agreed the development of a wholly owned council company to deliver children's social care in response to statutory direction published in September 2017. The company,

Worcestershire Children First (WCF) commenced in shadow form from April 2019 with formal launch in October 2019. WCF, working on behalf of Worcestershire County Council, was

to deliver high quality services and improve outcomes for children, young people and families. The aim is to improve outcomes for all children in Worcestershire, by addressing their needs

based interventions and training for professionals, it aims to provide support to people who have entrenched problems with alcohol. This approach is now well established in both Worcester City and Redditch and is currently being evaluated. More information is available at:

Drug and Alcohol Needs Assessment

## Worcestershire Community Trust (WCT)

Worcestershire Community Trust (WCT) is a registered charity that runs Six Community Centres in the City of Worcester providing crucial facilities for community use, activities & services empowering people of all ages, the socially isolated, the lonely, victims of domestic abuse and the wider community. WCT runs the Domestic Abuse Working Network (DAWN). This is a free, confidential and non-judgmental service for women in Worcester City who are experiencing or have experienced domestic abuse. The project offers individual face to face support and group work sessions aimed at improving awareness and safety, building confidence and self-esteem.

# Stakeholder Engagement

This section reviews information collected from a stakeholder engagement survey in 2019 and focus groups with service users, service providers and stakeholders across the County.

The stakeholder survey was completed by 163 respondents representing a wide range of

and adult social care.

Focus groups and 1:1 interviews were held with service providers, service users and stakeholders. Focus groups were also held with service users within the wider drug and alcohol services support systems, for example probation.

Analysis of the focus groups and interview text, supplemented by the qualitative feedback received through the stakeholder survey, has identified seven emergent themes:

**Quality of care**. Many service users described the service they received as being delivered in a manner that was empathetic, understanding, supportive and non-judgemental with a particular focus on goal-setting. A recurring theme from staff was that service delivery prioritised harm reduction and keeping service users safe. Feedback regarding the delivery of GP Shared care was positive from the perspective of primary care and substance misuse staff. The benefits articulated included reduced likelihood of disengagement and importance of wrap around support and focus on physical health.

# Recommendations

Recommendations from the n

# Conclusions

During the last five years the County has made progress in harm reduction and improving recovery outcomes for people dependent on drugs and alcohol. There has been an increase in the numbers of young people and adults

## Young Persons Drug and Alcohol Service

Figure 9 gives an overview of stakeholder feedback regarding the young person's element of the drug and alcohol service. Of those completing the survey only 51% were aware of the young person's service.

The graph shows that stakeholders were broadly satisfied with service prh9(it] TJ. 1 161tisF3Fuq4t)6( )o5

# Further Information and Feedback

This report has been written by Worcestershire County Council's Public Health Team with guidance and support from the Joint Strategic Needs Assessment Working Group.

We welcome your comments and questions - please do contact us.

Organisations who carried out the original collection and analysis of the data bear no responsibility for its further analysis or interpretation.

This document can be